education cess at six pies per rupee and railway cess at six pies per rupee on the whole amount within seven days from the date of confirmation of the sale, failing which the deposit shall be forfeited to Government and the right resold at the risk of the first purchaser, who shall not participate however, any gain but will make good any loss sustained by Government by such resale, the deficit being recoverable as a revenue demand under Section 79 of the Mysore Forest Regulation. License to begin grazing will be issued immediately after the confirmation of the sale and on the full payment of the sale amount together with the cesses thereon.

3. The purchaser shall not sublet the harvesting of pasturage without previous sanction of the District Forest Officer. When such sanction is accorded, the sub-lessee will be bound by all the terms and conditions of the sale jointly and severally with the original purchaser. The purchaser shall furnish a list of men allowed to enter the plantations, etc., to cut and remove grass and shall hold himself responsible for breach of any of the Forest Rules and for the occurrence of fire in the plantations, etc., due either to himself or his men, which will be dealt with under the provisions of the Mysore Forest Regulation. He shall deposit sum equivalent to 10 per cent of the purchase money or the due fulfilment of the lease and shall execute an agreement for that purpose.

4. The purchaser shall not scrape or dig the grass in the plantations, but shall only cut and remove it or graze it.

5. The grass crop in the plantations will be allowed to be cut and removed or grazed only between sunrise and sunset up to the end of the period stipulated, *viz.*, end of December 1937. No storage of grass will be allowed in them. Cattle will be allowed to graze in the plantations only between sunrise and sunset.

6. The purchaser shall not interfere with any forest operation such as planting, sowing and felling, that the Forest Department may wish to conduct in the leased area. Should any damage be caused by such operations to the grass crop, he shall not be entitled to any compensation.

N.B.—The lessee will maintain the fencing, trench and other boundary marks in order.

7. Tree growth should not be injured or lopped.

8. In the event of a breach of any of the conditions specified in the sale notice or agreement, the lease will be liable to be cancelled, all the produce collected, confiscated and a penalty not exceeding Rs. 25 levied and recovered as an arrear of land revenue by the District Forest Officer and the security deposit or part thereof forfeited.

M. A. MUTHANNA,
District Forest Officer.

ENGINEERING DEPARTMENT.

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Abstract Notification dated 10th May 1937.

The attention of the public is invited to the notification, dated 7th May 1937, calling for tenders for the work of "Providing Sanitary Fittings with drainage arrangements to the Inspection Lodge at Sivasamudram," published in pages 719-720, Part VI of the *Mysore Gazette*, dated 13th May 1937.

The last date for receiving tenders is fixed 1st June 1937.

SYED AHMED HUSSAIN,
For *Sanitary Engineer.*

BANGALORE DIVISION.

Abstract Notification.

The attention of the public is hereby invited to the detailed notification inviting tenders for restoring Madagondanahalli Shettikere, Reg. No. 260 of Dodballapur Taluk published on pages 659-660 of Part VI of the *Mysore Gazette*, dated 6th May 1937. The last date for receipt of tenders is 2 P.M. on 24th May 1937 and the earnest money to accompany the tender is Rs. 250.

Abstract Notification dated 1st May 1937.

The attention of the public is hereby invited to the detailed notification inviting tenders for Improving Primary Boys' School at Kengeri, Bangalore Taluk, published on pages 711-712 of Part VI of the *Mysore Gazette*, dated 13th May 1937.

The last date for the receipt of the tenders is 2 P.M. on 24th May 1937 and the earnest money to accompany the tender is Rs. 130.

Abstract Notification dated 4th May 1937.

The attention of the public is hereby invited to the detailed notification inviting tenders for constructing a Mosque at Kengeri, Bangalore Taluk, published on pages 712-714 of Part VI of the *Mysore Gazette*, dated 13th May 1937.

The last date for the receipt of tenders is 2 P.M. on 25th May 1937 and the earnest money to accompany the tender is Rs. 200.

Notification dated 13th May 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 2 P.M. on 7th June 1937, for Improving Kattigenahalli Tank, Reg. No. 37 of Hoskote Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore, between the hours of 11 A.M. and 5 P.M.

3. Tender should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 180 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for Improving Kattigenahalli Tank, Reg. No. 37 of Hoskote Taluk", in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, after depositing an additional sum of Rs. 180, in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Approximate quantities for improving Kattigenahalli Tank, Register No. 27 of Hosakote Taluk.

Sl. No.	Items of work	Unit	Quantity	Rate sanctioned	Rate quoted in	
					Figures	Words
	Bund.			Rs. a. p.		
1	Cutting grips and clearing jungle with roots and forming with picking ..	Grade	23	1 0 0		
2	Earthwork to bund with watering and tamping including required lead and lift	C.yd.	2,149	0 4 0		
3	Lead and consolidation charges for the earth available from approach clearing	,,	1,097	0 1 6		
4	Clearing silt and debris in the breach and stacking washed out stones ..	,,	128	0 2 6		
5	Excavating foundation for puddle wall	C.yd.	23	0 4 0		

Sl. No.	Items of work	Unit	Quantity	Rate sanctioned	Rate quoted in Figures	Rate quoted in Words
				Rs. a. p.		
6	Puddle wall with good clay ..	C.yd.	94	0 8 0		
7	Resetting old stone work with new jelly backing and wedging ..	„	120	0 12 0		
8	New stone work do ..	„	318	1 10 0		
9	Turfing slopes of bund and watering till it is satisfactory	S.yd.	5,336	0 1 0		
10	Removing and refixing old grade stones including cutting figures and painting, etc., with bed slabs ..	Each	18	0 4 0		
11	Providing and fixing grade stones do	„	5	2 0 0		
12	Providing and fixing Index stones do	„	23	0 8 0		
13	Removing and fixing old B.M. stones do	„	2	0 8 0		
14	Removing and refixing Register No. stone do ..	„	1	1 0 0		
15	Providing and fixing gauge stone do	„	1	12 0 0		
	Waste Weir.					
1	Earthwork, draft and approach clearting to be used for bund ..	C.yd.	2,195	0 3 0		
2	Burnt brick in surki mortar ..	C.ft.	328	0 5 0		
	Surki mortar plastering	Sqr.	2.00	3 8 0		
	Burnt stone slabs 6" one line dressed	S.ft.	168	0 6 0		
	Joggle joints	Each	18	0 12 0		
6	Rough stone revetment with new jelly backing and wedging	C.yd.	153	1 10 0		
7	Lead and consolidation charges for earth available from approach and draft clearing	C.yd.	1,007	0 1 6		
	Sluice.					
1	Providing plug and Iron rod with locking arrangements, etc., complete ..	Each	1	15 0 0		

Notification dated 13th May 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 2 P.M. on 5th June 1937, for restoring Alappanahalli Minor Tank Register No. 166 of Hoskote Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1938.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore, between the hours of 11 A.M. and 5 P.M.

3. Tender should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rupees three hundred and thirty in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for restoring Alappanahalli Minor Tank, Register No. 166 of Hoskote Taluk," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender the successful competitor will be required to execute the usual contract bond after depositing an additional sum of Rs. 330, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for Contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Approximate quantities for restoring Alappanahalli Minor Tank, Register No. 166 of Hosakote Taluk.

Sl. No.	Items of work	Per	Quantity	Rate sanctioned	Rate quoted in	
					Figures	Words
				Rs. a. p.		
	Bund.					
1	Jungle clearing with roots	Grade	8	1 4 0		
2	Removing ant hills and filling with good sand	Each	4	1 8 0		
3	Cutting grips on slopes and top of bund with trenches at toe ..	Grade	26	1 8 0		
4	Earthwork to bund with watering and tamping including required lead and lift	C.yd.	12,890	0 3 3		
5	Turfing the slopes of bund and watering the same till it is satisfactory ..	S.yd.	7,620	0 0 10		
6	Dismantling the old stone work ..	C.yd.	337	0 4 0		
7	Resetting old stone work with new jelly backing and wedging ..	C.yd.	225	0 8 0		
8	New stone revement with new jelly backing and wedging	,,	1,527	1 8 0		
9	Providing and fixing new grade stones with figures cutting and painting, etc., including bed slab ..	Each	10	1 8 0		
10	Removing and refixing old grade stones with figures cutting, painting, etc., including bed slabs	,,	16	0 12 0		
11	Providing and fixing new index stones with figures cutting, painting, etc., including bed slabs	,,	26	0 6 0		
12	Providing and fixing Register No. stone with figures cutting, painting, etc., including bed slab	,,	1	3 0 0		
13	Refixing B. M. stones do ..	,,	2	0 8 0		
14	Providing and fixing gauge stone with figures, cutting, painting, etc., including bed slab	,,	1	12 0 0		
	Waste Weir.					
1	Earth work excavation	C.yds.	27	0 3 0		
2	Burnt brick in surki mortar ..	C.ft.	666	0 4 9		
3	Burnt stone slabs 6" thick dressed and fixed in surki mortar	S.ft.	201	0 6 0		
4	Re-fixing old stone slabs in surki mortar	,,	119	0 2 0		
5	Rough stone apron with old stones and new jelly backing and wedging	C.yd.	30	0 12 0		
6	Removing old stone apron and resetting with new jelly backing and wedging	C.yd.	95	0 12 0		

Sl. No.	Items of work	Per	Quantity	Rate sanctioned	Rate quoted in Figures	Rate quoted in Words
				Rs. a. p.		
7	Plastering with surki mortar ..	Sqr.	3.00	3 8 0		
8	Cutting joggle joints ..	Each	12	0 8 0		
	Sluice.					
1	Providing and fixing plug iron rod with locking arrangements, etc., complete	Each	1	15 0 0		

M. K. NARASIMHA IYER,
Executive Engineer.

BUILDINGS DIVISION, BANGALORE.

Notification dated 11th May 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 24th May 1937 up to 2-30 P.M. for carrying out certain additions to the 2nd floor of the New District Board Office Building, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of July 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Buildings Division between the hours of 11 A.M. and 5 P.M.

3. Tender should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 200 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for carring out certain additions to the 2nd floor of the New District Board Office Building, Bangalore, in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for Contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for additions to the central portion of the 2nd floor of the District Board Office for holding Offices, Bangalore.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
1	Burnt brick in mortar	C.ft.	0 5 6	280	
2	Fixing burnt stone slabs 6" thick, one line dressed for lintel	S.ft.	0 6 6	15	
3	Providing and fixing T.W. door as per existing design with Delux Varnish, etc., complete ..	,,	2 2 0	90	
4	Chunam plastering two coats	Sqr.	3 8 0	6·00	
5	Other sundry works such as patches, etc. ..	L. S.	..	..	

No.	Items of work	Unit	Rate	Quantity	Cost
	Completing the verandah at sides.		Rs. a. p.		Rs.
1	Cut stone circular pillars with ornamental capital and base, etc., complete including hoisting ..	Each	100 0 0	8	
2	8″ raw stone lintel over pillars	R.ft.	1 0 0	49	
3	Two lines dressing to lintels alround ..	S.ft.	0 5 0	184	
4	Ornamental cut stone cornice with 3 mouldings as per existing design of central bays ..	,,	4 8 0	53	
5	R.C.C. roofing as per existing design plastering, etc., complete	Sqr.	120 0 0	3.05	
6	Water proofing over terrace as per existing design	,,	25 0 0	3.05	
7	Cut stone parapet 15″ thick 2 ft. high with complete panels of pebbles dash finished R.C.C. fret works	S.ft.	4 12 0	106	
8	Granite flooring as per existing portion ..	Sqr.	25 0 0	2.21	
9	Border for celling	R.ft.	0 9 0	86	
10	Fixing cast iron down water pipes $4\frac{1}{2}''\times4\frac{1}{2}''$ as per existing design	,,	2 12 0	31	
11	Other works such as dismantling portions of parapet walls for binding old and new walls etc., and terrace and other unforseen work	L. S.	..	..	
12	Putting up R.C.C. fret work with R.C. on top of approved design for enclosing the verandah	S.ft.	1 4 0	450	
13	Fixing weld mesh door with teak wood frame and fittings	,,	1 0 0	64	
	Enclosing rear verandah with fret work.				
1	Between pillars rear	S.ft.	1 4 0	389	
2	Providing and fixing weld mesh door with teak-wood frame and steel fittings, etc., complete	,,	1 0 0	64	

Notification dated 13th May 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 28th May 1937 up to 2-30 P.M. for the extension of Kannada Boys' Middle School at Visweswarapuram, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of August 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Buildings Division between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rupees 400 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for the extension of Kannada Boys' Middle School at Visweswarapuram, Bangalore" in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for extension of Kannada Boys' Middle School at Visweswarapuram, Bangalore.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
1	Earthwork excavation for foundation ..	C.yd.	0 3 0	164	
2	Granite stone jelly concrete (1 : 2) lime mortar (1 : 2) in 4″ layers well consolidated ..	C.ft.	0 3 6	1,116	
3	Size stone in lime mortar 1 : 2 for foundation in courses not less than 7″ with through bond stone 6 feet apart	,,	0 4 0	3,535	
4	Burnt stone slabs 6″ thick set in lime mortar for steps and basement slabs and sills and lintels of windows, etc., including 1 line dressing in bed and two lines dressing for exposed surfaces including hoisting and fixing, etc.	S.ft.	0 6 0	715	
5	Burnt brick in clay superstructure	C.ft.	0 3 6	3,138	
6	Providing and fixing Mysore Teak wood doors 3″×5″ frame fully pannelled with 1½″ teak wood shutters including pad locks, bolts, hinges, etc., complete with 2 coats of approved paint or varnish	S.ft.	1 8 0	119	
7	Providing and fixing Mysore Teak wood windows 3″×4″ frames fully pannelled with 1″ shutters with or without top ventilators, shutters cut to 4 halves with 3″ dia., iron bars, hinges, etc., complete with 2 coats of approved paint or varnish	S.ft.	2 0 0	252	
8	Mysore Teakwood wrought and put up ..	C.ft.	5 0 0	180	
9	Providing galvanised iron sheet for valleys and fixing it properly with screws, etc. ..	R.ft.	0 5 0	80	
10	Roofing with 1st class Mangalore Tiles on 2″×1″ teak reapers as per specification ..	Sqrs.	22 0 0	27.12	
11	1st Class Mangalore ridge tiles set in cement mortar and pointing	R.ft.	0 6 0	108	
12	Chunam mortar plastering, 2 coats	Sqrs.	3 0 0	62.67	
13	White washing, two coats	,,	0 4 0	62.67	
14	Fixing plain ornamental eave board 9″×1″ teakwood with 2 coats of approved paint ..	R.ft.	0 6 0	165	
15	Mortar bands over roof and valley	,,	0 6 0	177	
16	Cement pointing to basement with cut lines ..	Sqr.	3 8 0	8.23	
17	Levelling the Court yard of the Building premises	L. S.	..	..	
18	Flooring with cement concrete 1½″ thick over 3″ lime concrete and cement plastering including red ochre and cut lines	Sqr.	25 0 0	12.44	
19	Kaddapah Slab flooring over 3″ lime concrete and cement pointing	,,	22 0 0	2.82	

B. R. GARUDACHAR,
Executive Engineer.

KOLAR DIVISION.

Notification dated 10th May 1937.

Sealed tenders will be received at the Office of the Executive En gineer, Kolar Division up to 12 NOON on 14th June 1937, for restoring of Anchimuskur tank R. No. 480 of Malur taluk.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Kolar Division, should be addressed to the Executive Engineer, Kolar Division, in sealed cover and superscribed as "Tender for restoring Anchimuskur tank R. No. 480 of Malur Taluk." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by the Treasury challen for an earnest money Rs. 200 paid to the Treasury to the credit of 17(a) Public Works Deposits against the account of Executive Engineer, Kolar Division. The earnest money of the successful tenderer will be retained as security deposit for due fulfilment of the contract. Such a deposit in a cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 14th June 1937 at Kolar Division. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reasons whatever, for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office, in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an Agreement in the departmental schedule contract form for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay specifications (1931) and also furnish a security deposit of Rs. 400.

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executivt Engineer's Office, Kolar on all working days between 11 A.M. and 5 P.M.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees annas and pies and expressed in words and figures. Tender offering a percentage reduction on the estimate amount will rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender from in the nomenclature of the items of work will be recognised and if corrections are made the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a Firm, it must be signed separately and severally by each member thereof, or in the event of absence of any partner, it must be signed on his behalf by a person holding power of attorney, authorising him to do so.

15. When once the rates tendered have been accepted they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions or additions, at the discretion of the Executive Engineer, or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The work should be completed and handed over in a tidy condition to the Public Works Department by the end of December 1937 failing which the Executive Engineer may, at his discretion, levy a penalty Rs. 5 per day, which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the Contractor's outstandings for the period exceeded by him beyond the time fixed until the work is completed and handed over.

18. In all matters of dispute of any kind, not specifically provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claims for damages, for delays caused by Officers of the Department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will however be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery, that will be supplied by the Executive Engineer, in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being, the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of Royalty and Tolls.

Note (*A*).—The Contractor should at his own cost—

(1) Provide rods, stakes, ropes and labour required in setting out the works.

(2) Provide all necessary scaffolding, centering labour and appliances for hoisting.

(3) Provide mortar mills and sheds to keep materials under cover and also for workmen.

(4) Arrange for protecting work during inclement weather.

(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parahs, shoring, strutting and other requisite protective appliances during the progress of the work.

(6) Supply all water required for work and workmen and shall provide temporary latrines and drains.

(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.

(8) Provide arrangements for pumping and baling of water from excavations and foundations, wherever and whenever necessary with his own pumping apparatus, including necessary leading drains, slump pits, etc.

(9) Afford facilities to any other parties employed upon the work by the P. W. D. so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.

(10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by Insurance at the proper time.

Note (*B*).—It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

Abstract estimate for restoring Anchimuskur Tank, Register No. 480 of Malur Taluk.

No.	Items of work	Unit	Rate	Quantity	Rates to be quoted
	Bund.		Rs. a. p.		Rs. a. p.
1	Earthwork including watering and tamping ..	C.yd.	0 4 0	3,132	
2	Removing and resetting old stone work ..	,,	0 12 0	221	
3	Rough stone pitching 1' deep with jelly wedging	S.yd.	0 10 0	763	
4	Turfing to bund	,,	0 1 0	2,218	
5	Providing grade stones including painting ..	Each	1 8 0	20	
6	Do Index stones do ..	,,	0 8 0	20	
7	Register number stone with date	,,	5 0 0	1	
8	Gauge stone	,,	15 0 0	1	
9	B. M. Stones	,,	3 0 0	2	
10	Jungle clearing	Grade	2 0 0	19	
11	Removing top soil, ant-hills, cutting grips, etc...	,,	2 0 0	19	
	Total ..				
	Weir.				
1.	Earthwork excavation and using the same for bund	C.yd.	0 3 0	260	

No.	Items of work	Unit	Rate	Quantity	Rates to be quoted
			Rs. a. p.		Rs. a. p.
2	Concrete in surki mortar with stone jelly ..	C.ft.	0 4 0	965	
3	Burnt stone in surki mortar	,,	0 5 0	1,578	
4	Burnt stone slabs 6" thick dressed and fixed ..	S.ft.	0 6 0	'967	
5	Pointing with cement mortar	Sqr.	4 0 0	12.29	
6	Rough stone work (new) with jelly backing and wedging	C.yd.	1 8 0	121	
7	Providing joggle joints	Each	1 0 0	57	
8	Draft and approach clearing and cutting bund for extending weir	L. S.	..	..	
	Total ..				
	Sluice.				
	Constructing a pipe sluice with 4" dia. (Bhadravathi pipe) with 6" fall and with front and rear head walls including providing a plug and rod for operation	L. S.	..	..	

Notification dated 10th May 1937.

1. Sealed tenders will be received at the office of the Executive Engineer, Kolar Division, up to 12 NOON on 14th June 1937 for restoring Krishnapur Kempankere minor tank R. No. 235—540 of Kolar Taluk.

2. Tenders in the prescribed form obtainable from the office of the Executive Engineer, Kolar Division, should be addressed to the Executive Engineer, Kolar Division, in a sealed cover and superscribed as "Tender for Restoring Krishnapur Kempankere Minor Tank R. No. 235—540 of Kolar taluk." The name of the tenderer should alse be superscribed on the top of the cover.

3. Each tender must be accompanied by treasury challan for an earnest money of Rs. 200 paid to the Treasury to the credit of 17 (*a*) P. W. Deposit against the account of the Executive Engineer, Kolar Division. The earnest money of the successful tenderer will be retained as security deposit for the due fulfilment of the contract. Such a deposit in cash, will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 14th June 1937 at Kolar. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice board in the Executive Engineer's office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental Schedule Contract form, for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay specifications (1931) and furnish a security deposit of Rs. 400.

6. Failure to comply with the condition 5 above, or to agree to carry out the work in accordance with the specifications and agreements in force, will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's office, Kolar, on all working days, between 11 A.M. and 5 P.M.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department Schedule of Rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof, or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer, on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and to drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions, or additions at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of December 1937 failing which the Executive Engineer may, at his discretion, levy a penalty of Rs. 5 per day, which will ordinarlly be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will however be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being the dates of acknowledgments ofthe vouchers in each transation.

22. The contractor should arrange for the payment of royalty and tolls.

Note.—(*a*) The contractor should at his own cost—

(1) Provide rods, stakes, ropes and labour required in setting out the works.

(2) Provide all necessary scaffolding, centering, labour and appliances for hoisting.

(3) Provide mortar mills, and sheds, to keep materials under cover and also for workmen

(4) Arrange for protecting work during inclement weather.

(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves parahs, shoring, strutting and other requisite protective appliances during the progress of the work.

(6) Supply all water required for work and workmen and shall provide temporary latrines and drains.

(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.

(8) Provide arrangements for pumping and baling of water from excavations and foundations wherever and whenever necessary with his own pumping apparatus including the necessary leading drains, slump pits, etc.

(9) Afford facilities to any other parties employed upon the work by the P. W. D., so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.

(10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by Insurance at the proper time.

Note.—(*b*) It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

Abstract estimate for restoring Krishnapura Kempanakere, Register No. 235—540 of Kolar Taluk.—Minor Tank.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
	I. Bund R. L. 54.00 top width 4½′ slopes 1½ to 1 and 2 to 1.				
1	Removing top soil and clearing jungle including trees, etc.	Grade	2 0 0	19	
2	Removing ant hills and filling them with good gravel and consolidating	Each	1 0 0	10	
3	Cutting grips and trenches for the seat of new earth	Grade	2 0 0	19	
4	Earthwork to bund with watering and consolidating, etc., complete	C.yds.	0 4 0	6,192	
5	Turfing the slopes	S.yds.	0 0 9	4,811	
6	Cutting longitudinal trenches in the centre of bund and filling with clay and consolidating	C.yds.	0 5 6	594	
7	Removing and resetting old stone work with new jelly backing, etc.	,,	0 8 0	150	
8	New stone revetment	,,	1 12 0	267	
9	Providing grade stones with figuring, painting fixing, etc., complete	Each	1 8 0	19	
10	Do Index stones do ..	,,	0 6 0	19	
11	Do Register No. and date stone do ..	,,	3 0 0	1	
12	Do Gauge stone do ..	,,	15 0 0	1	
13	Do B. M. Stones do ..	,,	2 8 0	2	
	Total for bund rupees ..				
	II. Constructing a cast iron pipe sluice 8″ dia. cil R. L. 41.00.				
1	Cut opening the bund and refilling in with watering and consolidating	C.yds.	0 5 6	102	
2	Earthwork excavating foundations and filling in	,,	0 3 0	7	
3	Stone jelly concrete in surki mortar	C.ft.	0 4 0	169	
4	Burnt size stone in surki mortar	,,	0 5 0	255	
5	Burnt stone slabs 6″ thick and dressed ..	S.ft.	0 5 0	92	
6	Pointing with cement mortar	Sqr.	4 0 0	3.51	
7	Boring holes for orifice and guide slabs ..	L. S. ..	Rs.		
8	Providing teakwood plug Rod with locking arrangements, etc., complete	L. S.	Rs.		
9	Providing 8″ dia. cast iron pipes sluice including, fixing, jointing lead, etc., complete ..	R.ft.	3 0 0	36	
	Total for sluice ..				
	III. Constructing a waste weir 125 feet long at R. L. 50.00 Left Flank.				
1	Earthwork excavating foundation and filling ..	C.yds.	0 3 0	183	
2	Stone jelly concrete in surki mortar	C.ft.	0 4 0	372	
3	Rough stone in surki mortar	,,	0 4 0	573	
4	Burnt stone slabs 6″ thick and dressed ..	S.ft.	0 5 0	221	
5	Painting with cement mortar	Sqr.	4 0 0	7.78	
6	Rough stone work for apron	C.yd.	1 12 0	150	
7	Joggle joints	Each	0 12 0	16	
	Total for weir ..				

P. RAJAGOPALAN,
Executive Engineer.

IRWIN CANAL DIVISION, MANDYA.

Abstract Notification dated 5th May 1937.

The attention of the public is invited to the notification published in page 641, Part VI of the *Mysore Gazette*, dated 29th April 1937, regarding auction sale of buildings at Hulikere, Mandya Taluk. Auction will be conducted at 11 A.M. on 24th May 1937.

C. T. NARASIMHA IYENGAR,
Executive Engineer.

SHIMOGA DIVISION.

Abstract Notification dated the 30th April 1937.

EXTENSION OF MATERNITY HOSPITAL BUILDING AT SHIMOGA.

The attention of the public is hereby invited to the notification in pages 661-663 of the *Mysore Gazette*, dated 6th May 1937, calling for tenders for the extension of the Maternity Hospital Building at Shimoga.

Each tender must be accompanied by a treasury chellan for having deposited Rs. 480 as earnest money.

The last date for receiving tenders is 3 P.M. on Friday the 29th May 1937.

P. SUBBA RAO,
Executive Engineer.

MISCELLANEOUS DEPARTMENTS

OFFICE OF THE MUZRAI COMMISSIONER IN MYSORE, BANGALORE.

Abstract Notification dated 27th April 1937.

The attention of the public is invited to the detailed Notification dated 27th April 1937 published on pages 667-675 Part VI of the *Mysore Gazette* dated 6th May 1937, calling for tenders for the supply of drugs and articles of food to the Hospitals and Pharmacy Sections of the Ayurvedic and Unani College, Mysore, during the year 1937-38.

The latest date for receipt of the tender is 15th June 1937.

Notification No. C. 1468—36-37, dated 13th May 1937.

Applications are invited from Pandits for the post of Rigveda Prayoga Teacher in the Sri Chamarajendra Veda Maha Pathasala, Bangalore, on a pay of Rs. 30 per month (in grade Rs. 30—3—60).

The vacancy is a permanent one.

Applicants should have passed the Rigveda Prayoga Vidwat Examination and also Vidwat Examination in Sahitya, or any other Branch of Sastras.

Applicants with full particulars of age, qualifications, etc., should reach the undersigned not later than 31st May 1937.

The appointment will be on probation for 6 months to begin with.

K. V. ANANTARAMAN,
Muzrai Commissioner.

SREE NARASIMHARAJA HOSTEL, BANGALORE.

Notification dated 6th May 1937.

The attention of the public is hereby invited to the advertisement published on pages 675-679, Part VI of the *Mysore Gazette*, dated 6th May 1937, wherein tenders are called for the supply of Provisions, Vegetables, Stationery and Milk and Curds to the hostel.

The last date for the receipt of tenders is 22nd May 1937.

S. P. CHINNAPPA,
President.